



09/443,842

co/c

Docket No.: 22727-41  
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:

Mehmet Toner et al.

Patent No.: 6,902,931

Issued: June 7, 2005

For: CONTROLLED REVERSIBLE PORATION  
FOR PRESERVATION OF BIOLOGICAL  
MATERIALS

Certificate  
SEP 12 2005  
of Correction

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: September 1, 2005

Signature: 

(Ronald E. Cahill)

REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 CFR 1.322

Attention: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

SEP 12 2005

SEP 12 2005

**In the Specification:**

At column 2, line 64, change “permeablized” to **permeabilized**.

At column 3, line 8, change “traxsmembrane” to **transmembrane**.

At column 7, line 29, change “mini” to **min**.

At column 11, Table 1, approx. line 11, (in Survival and Growth column), change  $98.4 \pm 2.8$  to  $98.4 \pm 2.6$ .

At column 11, Table 1, approx. line 15, (in Survival and Growth column), change  $84.2 \pm 5.6$  to  $84.2 \pm 5.8$ .

At column 11, Table 1, approx. line 19, (in Survival and Growth column), change  $18.9 \pm 3.6$  to  $16.9 \pm 3.6$ .

At column 11, Table 1, approx. line 20, (in Plating Efficiency column), change  $0.8 \pm 0.6$  to  $0.8 \pm 0.8$ .

At column 11, Table 1, approx. line 21, (in Flow Cytometry column), change  $79.0 \pm 8.4$  to  $79.0 \pm 6.4$ .

At column 12, Table 2, approx. line 7 (in H5 column), change  $95.1 \pm 6.4$  to  $98.1 \pm 6.4$ .

At column 12, Table 2, approx. line 8 (in H5 column), change  $54.1 \pm 3.3$  to  $84.1 \pm 3.3$ .

At column 12, Table 2, approx. line 9 (in No Poration column), change  $80.7 \pm 3.3$  to  $60.7 \pm 3.3$ .

**In the Claims:**


At column 16, line 63, in claim 30, change “compromise” to **comprises**.

The errors were not in the application as filed by Applicant; accordingly no fee is required.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: September 1, 2005

Respectfully submitted,

By 

Ronald E. Cahill

Registration No.: 38,403

NUTTER MCCLENNEN & FISH LLP

World Trade Center West

155 Seaport Boulevard

Boston, Massachusetts 02210-2604

(617) 439-2000

(617) 310-9000 (Fax)

Attorney for Applicant

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6,902,931  
APPLICATION NO. : 09/443,842  
ISSUE DATE : June 7, 2005  
INVENTOR(S) : Mehmet Toner et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**In the Specification:**

At column 2, line 64, change "permeablized" to **permeabilized**.

At column 3, line 8, change "traxsmembrane" to **transmembrane**.

At column 7, line 29, change "mini" to **min**.

At column 11, Table 1, approx. line 11, (in Survival and Growth column), change  $98.4 \pm 2.8$  to  $98.4 \pm 2.6$ .

At column 11, Table 1, approx. line 15, (in Survival and Growth column), change  $84.2 \pm 5.6$  to  $84.2 \pm 5.8$ .

At column 11, Table 1, approx. line 19, (in Survival and Growth column), change  $18.9 \pm 3.6$  to  $16.9 \pm 3.6$ .

At column 11, Table 1, approx. line 20, (in Plating Efficiency column), change  $0.8 \pm 0.6$  to  $0.8 \pm 0.8$ .

At column 11, Table 1, approx. line 21, (in Flow Cytometry column), change  $79.0 \pm 8.4$  to  $79.0 \pm 6.4$ .

At column 12, Table 2, approx. line 7 (in H5 column), change  $95.1 \pm 6.4$  to  $98.1 \pm 6.4$ .

At column 12, Table 2, approx. line 8 (in H5 column), change  $54.1 \pm 3.3$  to  $84.1 \pm 3.3$ .

At column 12, Table 2, approx. line 9 (in No Poration column), change  $80.7 \pm 3.3$  to  $60.7 \pm 3.3$ .

**In the Claims:**

At column 16, line 63, in claim 30, change "compromise" to **comprises**.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Ronald E. Cahill  
NUTTER MCCLENNEN & FISH LLP  
World Trade Center West  
155 Seaport Boulevard  
Boston, Massachusetts 02210-2604

1

SEP 12 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Patent No. (if known): 6,902,931


Attorney Docket No.: 22727-41

## Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

on September 1, 2005  
Date



Signature

Ronald E. Cahill

Typed or printed name of person signing Certificate

38,403  
Registration Number, if applicable

(617) 439-2000  
Telephone Number

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Request for Certificate of Correction Pursuant to 37 CFR 1.322 (3 pages)  
Certificate of Correction (1 page)  
Return Receipt Postcard

SEP 12 2005